



DELIVERING INDUSTRY-LEADING

Engineered Tent Solutions to the U.S.

— established 1997 —

SALES + SERVICE + INVENTORY = RETURN ON INVESTMENT

844.289.8368 | LiriTentUS.com



ABOUT US

Liri Tent Technology, a clearspan structure industry leader, has established its presence in the United States with **Liri Tent US**. This company brings US customers the trendsetting technology that Liri is known for worldwide from our US based inventory. Liri offers unmatched quality, value and customer service while providing the latest products to meet all space needs.

OUR PROMISE

Boasting the largest tent production base around the world, you can rest assured that when you choose Liri you are choosing the best product you can get. We are confident that our experience will produce a product that will exceed your expectations. For nearly two decades we have taken pride to provide our clients with high-quality products and services that are safe as well as efficient, flexible and diversified.



— established 1997 —

844.289.8368 | LiriTentUS.com

- U.S. Engineered Structural Evaluation
- Extruded and Anodized Aluminum (6061/T6)
- Flame Retardant in accordance to California Fire Standards
- Double PVC-coated Polyester 850g/sqm (12.53); variety of colors and Serge Ferrari fabric available
- Full Range of Accessories
- Engineered for long term installations
- Innovation design
- Flexible Design for a Variety of Applications
view our solutions page at www.LiriTentUS.com



— established 1997 —

844.289.8368 | LiriTentUS.com

QUICK REFERENCE GUIDE

844.289.8368 | LiriTentUS.com

				A-FRAME	DOME/ARCUM	CURVE	POLYGON	CUBE <small>pictured as double-decker</small>	DOUBLE DECKER <small>Compatible with A-frame Arcum and Dome tops</small>
									
		SIDE HEIGHT	AVAILABLE WIDTHS						
3m Bays	NPT 100 x 48 x 3mm (4-channel)	2.6m	6m/9m/12m						
	NHT 122 x 68 x 3mm (4-channel)	3.0m	6m/9m/12m	X	X				
5m Bays	ET 152 x 119 x 3mm (4-channel)	3.3m	10m/12m/15m/18m	X	X				
	BT 204 x 120 x 4mm (4-channel)	4.0m	10m/15m/20m/25m	X	X	X	X	X	
	EBT 256 x 121 x 5mm (4-channel)	4.0m	20m/25m/30m	X	X	X	X	X	
	TH 300 x 120 x 5mm (4-channel)	4.0m	30m/40m	X	X	X	X	X	X
	LH 350 x 120 x 5mm (4-channel)	4.0m	30m/40m/50m	X	X				
	HH 400 x 120 x 6mm/7mm (4-channel)	5.0m	50m/60m	X	X		X		X

established 1997

844.289.8368 | LiriTentUS.com

SALES + SERVICE + INVENTORY = RETURN ON INVESTMENT



OUR PRODUCTS

Liri Tent US clear span engineered fabric structures are built with main beam connection fittings and base plates that are made from triple-galvanized structural steel. All beam components are extruded and anodized aluminum (6061/T6) and manufactured to stand up to wind load ratings as specified in our stamped U.S. Professional Engineering evaluation, which is provided upon request. Liri structures are available from 3m-60m wide and any length desired with 850g/sqm (12.53) premium coated vinyl roof panels and gable ends. Structures can be enhanced with double and single glass doors, glass or ABS hard-walls, various PVC soft-wall designs, flooring, stairs and wide variety of innovative accessories.

5050 Kansas Avenue | Kansas City, Kansas 66106 | 844.289.8368 | LiriTentUS.com

— established 1997 —

844.289.8368 | LiriTentUS.com